

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7543	380/255,259,277-285,42.ccls. or 726/26-29.ccls. or 713/150,164-165.ccls. or 705/50-51,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 15:13
S2	2670	S1 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 13:06
S3	11167	(deriv\$3 or extract\$3 or form\$3) with key with (text or message or region or header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:46
S4	560	S3 and (encrypt\$3 or encipher\$3) with (region or part or partial\$2) with (text or message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:47
S5	197	S4 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:47
S6	21	S5 and ((text or message) with (divid\$3 or division or segment\$5) with (info or information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:05
S7	5488	key with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:06

S8	186	S7 and (((public or asymmetric) adj key) with (encrypt\$3 or encipher\$3) with ((common or symmetric) adj key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:54
S9	58	S8 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:06
S10	29	S9 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:51
S11	10269	(deriv\$3 or extract\$3 or form\$3) with key with (text or message or region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:51
S12	4268	S11 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:52
S13	436	S12 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:52
S14	52	S13 and (((public or asymmetric) adj key) with (encrypt\$3 or encipher\$3) with ((common or symmetric) adj key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 11:54
S15	11	(extract\$3) with key with text with region	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:47

S16	2	S15 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:52
S17	264	(text or message) with (region or part) with (contain\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:51
S18	111	S17 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:52
S19	197	(deriv\$3 or extract\$3) with ((session or symmetric) adj key) with (header or text or message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:28
S20	66	S19 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:34
S21	1062	generat\$3 with (session or symmetric) with key with (text or message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:34
S22	336	S21 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:34
S23	140	S22 and (text or message or region) with contain\$3 with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:43

S24	7543	380/255,259,277-285,42.ccls. or 726/26-29.ccls. or 713/150,164-165.ccls. or 705/50-51,57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:38
S25	2670	S24 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:44
S26	1206	S25 and ((first and second) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:44
S27	211	S26 and ((portion or part) with (text or message) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:57
S28	195	380/42.ccls. and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:57
S29	2	S28 and ((region or text) with (contain\$3 or extract \$3 or choos\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:58
S30	1861	(encrypt\$3 or encipher\$3) with (text or message) with (itself or portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:38
S31	739	S30 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:51

S32	215	(380/255,259,277-285,42.ccls. or 726/26-29.ccls. or 713/150,164-165.ccls. or 705/50-51,57.ccls.) and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:51
S33	281	creat\$3 with text with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:51
S34	58	S33 and (header with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:55
S35	20	S34 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:56
S36	369	add\$3 with key with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:56
S37	559	(add\$3 or insert\$3) with key with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:56
S38	167	S37 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:56
S39	13	S38 and (session or symmetric) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 16:10

S40	0	(key or (pass adj phrase)) with from with (plain adj text)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 16:10
S41	283	header with (encrypt\$3 or encipher\$3) with body	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 09:52
S42	60	S41 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 09:53
S43	442	header with (extract\$3) with (key or (pass adj (code or phrase or word)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 09:53
S44	136	S43 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 09:53
S45	44	(simple adj key adj management adj internet adj protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 13:06
S46	33	S45 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 13:06
S47	13	S46 and (key with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 13:06

S48	2	ep-1120715-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 16:46
S49	303	713/160.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 10:50
S50	137	S49 and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 10:50
S51	43	S50 and ((key or (pass adj (phrase or code or word))) with header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 11:58
S52	2	"6105027".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 11:58
S53	2	"6233608".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 11:58
S54	6	("6385723" or "445797"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 15:14
S55	5	("6385723" or "6445797"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 15:14

S56	2	"5999622".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 09:43
S57	2	"4864616".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 09:44
S58	2	"5052040".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 09:44
S59	2	"6381331".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 09:44
S60	2	"5754306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 09:45
S61	2372	(713/150,160-161,168- 171,189.ccls. or 380/255,259,277-278,283- 286.ccls.) and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 09:46
S62	2	"7039189".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 09:54
S63	2	"6055314".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 09:54

S64	2	"6789177".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 13:17
S65	79	380/284.ccls. and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:06
S66	8	(large with symmetric with key) with (encrypt\$3 or encipher\$3) with ((content or file or symmetric) adj1 key) and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:59
S67	171	(secur\$2 with (transmit\$4 or distribut\$3) with ((private or symmetric) adj1 key)) and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 17:02
S68	2372	(713/150,160-161,168- 171,189.ccls. or 380/255,259,277-278,283- 286.ccls.) and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 17:02
S69	58	S68 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 17:02
S70	3221	key adj1 (encrypt\$3 or encipher\$3) adj1 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 17:11
S71	247	S70 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 17:12

S72	2	"5420866".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 08:55
S73	2	"5768373".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:29
S74	2	"20010055395".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:29
S75	2	"5937066".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:30
S76	2	"20030110376".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:32
S77	6698	(file or data) adj1 key and @ad<"20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:34
S78	225	S77 and (master or shadow) adj1 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:34
S79	57	S78 and (private or symmetric) adj1 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:34

S80	5	symmetric with key with chain and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:01
S81	40	(public adj1 key) with ("look up" or "lookup" or index) with ((private or secret) adj1 key) and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:18
S82	20	(secur\$2 with (send\$3 or transfer\$4) with (master adj1 key)) and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 12:57
S83	2067	header with key and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 13:07
S84	542	S83 and (encrypt\$3 or encipher\$3) with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 13:08
S85	3	"6912656".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 14:22
S86	4	((common or symmetric) adj1 key) with (encrypt\$3 or encipher\$3 or secur\$3) with ((file or small\$2 or text) adj1 key) and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 16:03
S87	450	((common or symmetric) adj1 key) with (two or second) and @ad< "20000607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 16:41

6/ 15/ 2008 2:12:35 PM

C:\Documents and Settings\ppich\My Documents\EAST\Workspaces\09833793.wsp